

Computer Animation


1-History

SS 2018


Prof. Dr. Charles A. Wüthrich,
Fakultät Medien, Medieninformatik
Bauhaus-Universität Weimar
caw AT medien.uni-weimar.de

Early animation devices

- First experiments with persistence of vision done early 1800
- Animation existed before the camera
- Perhaps simplest device: thaumatrope
 - Flipping circle with two drawings



THAUMATROPE,
1825



Early animation devices

- Flipbook
 - Very common, and survived till today
- Motion through page flipping



Early animation devices

- Zoetrope: wheel of light
- Cylinder
 - Inside: drawings
 - Slits cut between frames on cylinder
 - Allow viewer to see only one frame
 - Illusion of movement




Early animation devices

- Phenakistoscope: greek for „spindle viewer“
- Two disks rotating in sync (or one at the mirror)
 - Back side: drawings
 - Slits cut between frames on cylinder
 - User can see only one small part of frame at a time
 - Illusion of movement



Early animation devices

- Praxinoscope: greek for „who knows?“
- Here rotating mirrors are used for allowing only the view on one frame at the back of the external cylinder



„Conventional“ animation

- Filming of two-dimensional handdrawings
- Georges Méliès (1896) used camera tricks (multiple cam exposures, stop motion) to make objects appear, disappear and change shape.
- Emile Cohl produced several vignettes
- J. Stuart Blackton animated smoke on a movie (1900) and created first animated cartoon in 1906.

„Conventional“ animation


- Windsor Mc Cay, a newspaper cartoonist, produced first animated cartoons
 - *Little Nemo* (1911)
 - *Gertie the dinosaur* (1914).
- Technique used:
 - Draw each image on rice paper
 - Film them individually
- In many of his works, he interacted live with his characters

„Conventional“ animation

- John Bray started 1910 to work at patenting the animation processes.
- Was joined in 1914 by Earl Hurd, who patented the use of translucent *ce/s* to compositing multilayered images
- Bray patented also
 - The use of grayscale
 - He then enhanced overlaying to include a peg system for registration of the layers
 - Finally he patented drawing on long sheets to allow panning on the background

„Conventional“ animation

- Out of Bray's studio came following authors:
 - Max Fleischer (*Betty Boop*)
 - Paul Terry (*Terrytoons*)
 - George Stallings (*Tom and Jerry*)
 - Walter Lantz (*Woody Woodpecker*)



„Conventional“ animation

- In 1915 Fleischer patented rotoscoping: draw images on cells by tracing previously recorded live actions
- Bray did experiment also with colour (1920) in the short „*The debut of Thomas Cat*“

„Conventional“ animation: arts?


- Technology developed fast
- However, the artistic side struggled for long
- First complete character with personality:
 - *Felix the Cat* (Otto Messmer) very successful in mid 1920s



Copyright (c) 1926 Pat Sullivan Studio

Walt Disney

- Walt Disney was the most successful conventional animator
- First to use storyboards for animations
- In 1928, he was the first to add sound to animations in „Steamboat Willie“



Copyright (c) 1928 Walt Disney Productions

Walt Disney


- Major technical innovation of Walt Disney:
 - Multiplane camera
 - Camera mounted on top
 - Each plane holds an animation cell
 - Planes move along 3 axes
- Allows parallax motion (multiplane backgrounds)



Courtesy Sébastien Barthe

Walt Disney: arts

- Disney preferred to give characters a long lasting personalities
- Focus on character, build stories around it
- Major characters: Mickey Mouse, Pluto, Goofy, Donald Duck
- Studied intensively real life motion
- Developed first „mood pieces“
 - *Skeleton Dance* in 1929
 - *Fantasia* in 1940



© Walt Disney Productions

Copyright (c) Walt Disney Productions

Animation studios

- The success of Walt Disney pushed others to initiate animation studios
- Well known animation studios: Fleischer, Iwerks, Van Beuren, Universal Pictures, Paramount, MGM, Warner Brothers.

Alternative techniques

- Stop motion
- techniques have been
- also very popular:
 - Clay animation
 - Puppet animation
- Here figures are
- moved one frame
- at a time, and snapshots are taken
- Father of these techniques:
Willis O'Brian (*King Kong*)
- Ray Harryhausen (*Mighty Joe Young*)
- In Europe: Fusako Yusaki (Fernet Branca)





Copyright (c) Fernet Branca

Computer animation: the principles

- Animation has its roots in 2D animation, and rules of course have been found out for 2D animation (the grammar of animation)
 - These principles are nowadays quite well known. John Lassater (Pixar) outlined these principles in a nice article at Siggraph 87
1. Squash and stretch
 2. Timing
 3. Anticipation
 4. Staging
 5. Followthrough and overlapping action
 6. Straight ahead action and pose-to-pose action
 7. Slow in and slow out
 8. Arcs
 9. Exaggeration
 10. Secondary action
 11. Appeal


Principles: squash and stretch

- Example



Images Copyright (c) ACM The Association
of Computing Machinery

- Used also to avoid strobing in fast movement



Principles: timing

- Timing: the speed of an action
 - Not too long (boring)
 - Not too short (one sees nothing)
 - Weight of object is defined by timing
 - the heavier, the slower it accelerates
 - The lighter, the faster they accelerate
 - Big and heavy objects move sloooooowwww
- Emotions can be also expressed through different timings:
 - Tilting a head with one inbetween may indicate it has been hit by a bat
 - But with seven inbetweens it tries to get a better look at something

Principles: Anticipation

- Actions are subdivided in 3 parts:
 - Preparation (anticipation)
 - the action itself (staging)
 - its termination.
- Anticipation prepares the action and notifies the viewer something is going to happen
- In nature, it is the same: you can't kick unless you pull the leg backwards
- Anticipation aims at making the viewer look at the right part of the image
- If the viewer knows what to expect, then action itself can be faster
- Exaggerated anticipation can be used to emphasize heavy weights (bending back to lift one)

Principles: Anticipation

- Actions are subdivided in 3 parts:
 - Preparation (anticipation)
 - the action itself
 - its termination.
- Anticipation prepares the action and notifies the viewer something is going to happen
- In nature, it is the same: you can't kick unless you pull the leg backwards
- Let us make an example

Principles: Anticipation



Copyright (c) 1986 Pixar

Principles: Staging

- Staging is the presentation of an idea so it is unmistakably clear.
- This can be an action, a personality, an expression, or even a mood
- Staging, anticipation and timing are all integral part to directing the eye.
- Very important is to allow users to see only one thing at a time
- Animators in fact tell a story saying „look at this, then this“
- Staging is mostly done in silhouette: actions are done outside of the body so as to make them pop out more clearly (e.g. Scratching is done on side)

Principles: Follow-through and overlapping action


- Follow through is the termination of an action
- Actions usually last longer than their end. Ex: hand throwing ball goes on after
- Actions of parts of an object are not simultaneous. Some parts start before (the *lead*).
- For example, hips move before legs for walking
- Similarly, appendices would „follow“ the action, and do this according to their weight
- Slight variations are added to loose parts to make action look more interesting (overlapping)
- Actions themselves overlap, just as we curve not by turning promptly but on smooth curves

Principles: Follow-through and overlapping action

- There are mainly two approaches to hand drawn animation
 - The animator can produce one pic at a time in sequence (*straight ahead*)
 - The animator can produce key poses and then draw the inbetweens (*pose to pose*)
 - Inbetweens are done knowing the timing necessary for action
 - For complex shapes they are difficult to do
- Automatical inbetweening becomes therefore difficult to do
- Moreover, parts of figures may require different keyframe timings

Principles: Slow in, slow out

- This deals with the spacing of the inbetween drawings between the extreme poses
- Mathematically it means controlling acceleration
- The animator indicates the inbetweens with a timing chart drawn to the side to specify where the inbetween drawings are placed in the timescale
- Here is an example of a timegraph of a ball bounce:




Principles: Arcs

- The visual path of action is described by an arc
- All movements follow an arc
- Sometimes, they are on a straight line, but mostly they are on an arc
- Even if characters move on a straight line, they usually rotate on themselves
- Arcs are usually done on 3rd order splines, to be able to control velocity and acceleration


Principles: Exaggeration and secondary action

- Exaggeration in animation does not mean distorting, just accentuating
- Make sad characters sadder, wild characters frantic
- Balance exaggeration in the scene so all looks „equally exaggerated“
- Do not overdo exaggeration, and keep it „natural“
- Secondary actions are actions resulting directly from another one
- Example: a power chord of a device has its own secondary movement if you move the device itself



Principles: Appeal

- Appeal is anything the viewer likes to see, or would look at:
 - Weak drawing
 - Too complicated drawing
 - Awkward moves
- Simple rules to avoid flatness of design:
 - Do not make characters symmetrical: they would look dull
 - Think of detail when you develop a character



Principles: Personality


- Personality is given by the successful application of the above principles
- A story is good when viewers look at the character and at the story
- Animators have full control of every move, but they are good at animating when a character becomes a character
- Questions animators have always present to express a characters personality are:
 - What mood is the character in?
 - How would he move to perform this action?
- No two characters would do an action the same way
- AND the personality of the character should be familiar to the audience

Computer Animation: examples

- First movie to make extensive use of animation?


Computer Animation: examples

- First movie to make extensive use of animation?
- Tron, Disney, 1982



Computer Animation: examples

- Finding Nemo: Copyright Pixar (2003)



- Geri's Game: Copyright Pixar (1999)



For the Birds: Copyright Pixar (2001)

Traditional animation: production

- *Production* indicates the whole film
- Productions are split in *sequences*: each sequence is usually identified by an associated staging area.
There are 1 to 12 sequences in a production
- A sequence is broken in one or more *shots*. Each shot is a continuous camera recording
- A shot is broken down into individual *frames*. A frame is a single image

Frames			Production																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			Sequence 1								Sequence 2												Sequence 3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			Shot 1				Shot 2				Shot 1				Shot 2				Shot 3				Shot 4				Shot 1				Shot 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			1	2	...																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Traditional animation: production steps

- First a *preliminary story* is decided
- This includes a *script*
- A *storyboard* is developed: it lays out action scenes by sketching representative frames and writing text to it
 - A storyboard is used for discussing action
- For each character, *model sheets* are done. They are drawings of the character in different poses for keeping the characters consistency across animation
- The *exposure sheet* records all info of each frame (camera moves, sound cues, composing elements)
- The *route sheet* records stats and responsibility for each scene
- A *story reel* may be produced: a recording of the keyframes, each for as long as the scene it represents. It helps reviewing the timing of movie

Traditional animation: production steps

- Once storyboard is decided, work on the *detailed story* is done (detail in action)
- *Keyframes* (or *extremes*) are identified and drawn by master animators
- Assistant animators draw the inbetweens between the keys (*inbetweening*)
- Test shots are done on short sequences to check rendering and movement
- Sometimes movement can be checked on pencil drawings
- Once sequence is fixed
 - *Inking* is done (transferring contours to the cels)
 - *Opaquing* is done (filling with colour)


Traditional animation: sound

- Sound is extremely important in animation
- Contrary to regular movies, precise timing is possible
- Depending on importance of sound, either
 - Animation is done first :
here a *scratch track* (or rough sound track) can be built while storyboard is developed
 - Sound track is done first
e.g. for lipsyncing

And in Computer Animation?

- Many of the tasks and tools before are used here too: storyboarding, model sheets, keyframing....
- However, computer animation allows more flexibility
- Moreover, animators can turn on/off effects to concentrate on partial aspects
- They can even simplify rendering to check for particular aspects
- Moreover, even at rendering time certain aspects can be turned on/off to speed up the process
e.g. Which objects cast shadows to where

Producing a Computer Animation





- **Story Dept:** Converts screenplay to storyboard and to story reel
- **Art Dept:** Creates design and color studies, including detailed model description and lighting scenarios
- **Modeling Dept:** Creates the characters and the world they live. Often parametrizes figures to control movement of figures
- **Layout Dept:** Implements staging and blocking. Is responsible for taking the film from 2D to 3D
- **Shading dept:** Adds textures, displacement shaders and lighting models
- **Animation dept:** Responsible for character „life“. Produce gestures and subtle animation detail
- **Lighting dept:** Assigns teams to each sequence so that lighting is done as the arts department wishes
- **Camera dept:** renders the frames

Editing

- Once images are produced, they have to be assembled into the final movie
- Originally, sequences got mixed one after the other linearly in time (the output was linear)
- Later, timestamps were added so that some non linear editing was possible
- Nowadays, almost every PC is capable of non-linear editing
- Here, tracks can be mixed, inserted, overlayed, sound can be added to them at will

History: early days (60s-70s)

- It all started from Ivan Sutherland's interactive machine (MIT 63)
- First animated computer sequence: Ed Jazzac (Bell Labs)
- Early 70s: Univ. of Utah established program of CG (Catmull)



- Early Labs (late 70s):
 - U. Pennsylvania (N. Badler)
 - NYIT (Catmull)
 - Ohio State (De Fanti, Csuri)
 - U. Montreal (D. And N. Thalmann)
- Animation mostly in Labs

History: towards maturity (80s)

- Three major events:
 - Development of graphics capable hardware (SGI) and rendering
 - Development of complex algorithms for modeling
 - Appearance of first animation studios and first complex films
- First animated computer film: Tron (Disney 1982)
- Big animation studios at that time:
 - Digital Pictures
 - Image West
 - Cranston-Csuri
 - Pacific Data Film
 - Lucasfilm (who became Pixar)
- First animation Oscars won: Tin Toy (1988)

History: maturity(?) (90s-today)

- Major productions of
 - Complex special effects
 - Whole productions
 - Digital characters in movies
- Two real big players:
 - Pixar (Star Trek II, Toy Story, Monsters.....)
 - ILM (Terminator II, The Abyss, Casper, Jurassic Park,)
- Animation big in commercials
 - Here smaller studios work
- Software available nowadays off the shelf
- Hardware too (despite Pixar's Renderfarms)
- Modeling possible at home

History: maturity(?) (90s-today)

- 3D movies: Avatar.
- Nowadays plenty of productions per year.



Courtesy 20th Century Fox © 2009



Copyright (c) 1988 ILM

+++ Ende - The end - Finis - Fin - Fine +++ Ende - The end - Finis - Fin - Fine +++